

INTOVA

Born in Hawaii Built for the World

Spring Catalog 2014



Celebrating 20 Years of Innovative Product Leadership



Cameras

Torches

Lighting

Accessories

INTOVA

Born in Hawaii Built for the World



LIMITED EDITION

HD EDGE

WATERPROOF 1080p HD SPORTS CAMERA



Model# SP HDE

- 1080p Video
- WiFi
- 14 MP photo
- Built-in LCD
- Rugged, patented unibody design
- Deep depth capacity-rated to 200'/60 M
- Easy to use Intova operating system
- 10x or 60x digital zoom
- 2 hour battery life

Sport HD II

Waterproof 1080p HD Sports Camera

- 1080p Video
- Camera floats
- Built-in LCD
- Rugged, patented unibody design
- Deep depth capacity-rated to 200'/60 M
- Easy to use Intova operating system
- 4x digital zoom
- Great value
- 3 hour battery life



Model# SP1 N

www.intova.net

INTOVA

Born in Hawaii Built for the World



Model# SPORT 10K

SPORT 10K

10MP Waterproof Digital Sports Camera

- VGA Video
- 10 MP photo
- Built-in LCD
- Rugged polycarbonate housing
- Housing waterproof to 140 ft/42 M
- Camera waterproof to 10 ft / 3 M
- 4x digital zoom
- Built-in flash
- Compact and shock resistant
- Easy to use

SnapSights! SS01

Waterproof Reusable Sports Film Camera

- Rugged polycarbonate housing
- Waterproof to 100 ft / 30 M
- Pre-loaded with 27 exp 35mm film
- Reuseable
- Floats
- Built-in flash
- Compact and shock resistant
- Easy to use
- Low cost




Model# SS01



Sport HD II / HD EDGE Accessories




INTPOD
50cm flex arm with tripod mount



EXTP-01
Extension Pole



FMG01
Floating Multi Grip



HBM
Handlebar/Pole/Paddle/Boat Mount



SP1-CB SP1-CBP
SP1-CBG SP1-CBO
Camera Bag for Sport HD II / Sport HD EDGE

For Sport HD II only



COLORS
Colored Lens Port Rings

For HD EDGE only



SPHDE BATTERY
Rechargeable Li-ion battery



IFRED SP1
Red Filter



SPUV
Ultraviolet Filter




SPND2
Neutral Density Filter 2 stops




IFMAG SP1
Magenta Filter for freshwater diving



SP1-CUL
Macro / Close up Lens



ADMT
Adhesive Mount



AHMT
Adhesive Helmet Mount



HEL MT2N
Helmet Mount with flexible straps



HEL MT3
Helmet Mount with straps for vented helmet




FMMT
Facemask Mount




SBM
Surfboard Mount



RBMT
Roll Bar Mount



CHS
Camera Hand Strap



BBMT
Body Board Mount



CS-A
Chest Strap Mount



SCM
Suction Cup Mount




SP1-FA
24.5cm Mini Flex Arm



SP1-BT
Base Tray for Sport HD



GMA
Mount Adapter adapts tripod base to GoPro cameras



TMA
Tripod Mount Adapter adapts GoPro base to tripod mount camera



IGRS 2T
Silicone Grease



SSTKR
Silica Sticker



SGM
Spear Gun/Shot Gun Mount

INTOVA

Born in Hawaii Built for the World



CAMERA ACCESSORIES



Camera Care Kit
model# CCK

Intova Camera Float Strap
model# ICFS-Red



Red Filters
model#
IFRED,
IFRED 52,
IFRED WAL



Universal
Adapter
USB Charger
model# USB-CH



Leak-Sorb
model# LS1



Silicone Grease
model# IGRS 2T



O-Ring
Removal Tool
model# ORT



White Balance
Wrist Band
model# WBWB




Intova
Air Lens
model# IAL

VIDEO LIGHT / FLASHLIGHT ACCESSORIES



Beacon
Canister Kit
model#
BCON KIT



Intova Pod
model#
INTPOD



Torch Handstrap
model# HST10



Torch Adapter
for Face Mask
model# FMTA



Silicone Grease
model# IGRS 2T



Intovatec CR123
Lithium 3.0V
1400mAh Batteries
model# IT123



Torch Adapter
model# TA6



VIDEO LIGHTS / FLASHLIGHTS

Xtreme Power-Light Flood models



**Teranova
model# TTN1**

- 10,000 lumens
- Rechargeable Li-ion battery
- Waterproof to 400'

**Beacon
model# BCON**



- 2500 lumens
- Rechargeable Li-ion battery
- Waterproof to 400'
- 3 brightness levels

Video Light



**Galaxy
model# GVL**

- 2500 lumens
- 140 deg beam angle
- Rechargeable Li-ion battery
- Waterproof to 400'
- 3 brightness levels

Zoom / Video

**SportTac 2000
model# ST2000**



- 220 lumens
- 12-75 deg beam angle
- Rechargeable Li-ion battery
- Recharge via micro USB tail port
- Waterproof to 328'
- Low power indicator
- 3 position magnetic switch


**IFL WA ZOOM-R
model# IFL WA ZOOM-R**



- 300 lumens
- 9-45 deg beam angle
- 140 deg with lens removed
- 2 "CR123" batteries or optional rechargeable Li-ion battery
- Waterproof to 400'
- Magnetic slide switch

INTOVA

Born in Hawaii Built for the World



VIDEO LIGHTS / FLASHLIGHTS

Concentrated Beam



**Search Light
model# SL1**

- 800 lumens,
- 3 "C" batteries,
- Waterproof to 400'
- 3 position tail switch



**Ultra III torch
model# ULTRA III**

- 500 lumens,
- 6 "AA" batteries,
- Waterproof to 400'
- Magnetic slide switch



**IFL 660-R torch
model# IFL 660-R**

- 300 lumens,
- 2 "CR123" batteries or optional Li-ion rechargeable battery
- Waterproof to 400'
- Magnetic slide switch



**Compact torch
model# ICOM**

- 230 lumens,
- 3 "AAA" batteries,
- Waterproof to 400'
- 3 position tail switch



**H2O Man Light
model# HL1**

- 4 "AAA" batteries,
- Waterproof to 100'



HL1 Display

Pre-pack shipper display contains 12 HL1 torches.
item# HL1 DISPLAY



SPORTS LIGHTING SYSTEM



Model# SLS

- Modular system is compatible with Intova Camera mounts: Headlamp, bike light, boat light, camp light, emergency strobe and more
- Powered by 3 AAA or USB Power source
- Waterproof to 300 feet
- Adjustable Beam angle
- 250 lumens
- Color filters

SPECIFICATIONS

Model	SLS
Description	Sports Lighting System
Material	Aluminium and Polycarbonate
LED	1 pc CREE XP-G
Maximum Output	250 Lumens
Beam Angle	Zoom Lens Adjustable from 10~50 degree beam angle
	Video configuration: 120 degree
Power Source	Battery Case: Uses 3 x AAA Alkaline Battery
	Option: USB Power Cable : Max. 5V, 1A
Burn Time	2.5 hours (100% Power)
LED Life Span	25,000 hours
Light Color Temperature	6,000K~6,500K
Waterproof Level	100 meters
Operation Modes	1) 100% Power 2) 50% Power 3) Strobe



	Light head	Battery Compartment
Dimension	55mm(L) X 66mm(W) X 64mm(H)	φ31mm X 75mm(L)
Weight	85g	35g

INTOVA

Born in Hawaii Built for the World



INTOVA STROBE LIGHTING

- Universal slave strobe for use with digital or film cameras
- Underwater Housing Depth Rated to 200' / 61 M
- Flash Sync Sensor
- Light Output Control: Auto light sensor with 3 levels-Max, Med, Min
- 3 Pre-flash settings
- Diffuser holder with 3 diffusers

PX-21

Compact Slave Strobe



Fiber Optic Cable
Model# PX25



Base Tray Double Handle
model# BTD



Stay Slim
with Flex Arm
model# SSFL



Torch Adapter
model# TA6

Flex Arm



Model# FA18

Model# FA30



Stay Slim Extra Arm
model# SSMR



Waterproof Box
model# SC100



Accessory Bag
model# SBAB-1



Video System Lighting

*all parts sold separately



CAMERA SPECIFICATIONS

CAMERA / MODEL#	SPORT HD EDGE SP HDE	SPORT HD II SP1 N	SPORT 10K	SS01
TYPE	Digital	Digital	Digital	Film: 27 exp
VIDEO RESOLUTION	1080p	1080p	VGA	-
PHOTO RESOLUTION	14 MP	5 MP	10 MP	-
ZOOM	10x and 60x digital	4x digital (except 1080p mode)	4x digital	-
MACRO	-	-	Yes (not thru housing)	-
POWER	Removable /Rechargeable Li-ion battery	Rechargeable Li-ion battery	(2) "AAA" batteries (included)	(1) "AA" battery (included)
MEMORY	Up to 32GB Micro SD card (optional)	Up to 32GB Micro SD card (optional)	Up to 32GB Micro SD card (optional)	-
DEPTH RATING	200 feet / 60M	200 feet / 60M	140 feet / 40M	100 feet / 30M
LCD MONITOR	1.5" TFT LCD	1.5" TFT LCD	2.4" TFT LCD	-
AUDIO	Yes	Yes	Yes	-
MATERIAL(S)	Polycarbonate with rubberized armor coating	Polycarbonate with UV injection	Polycarbonate	Polycarbonate
WEIGHT	7.3 oz / 207g	6.0 oz / 170g	10.6 oz / 300g	9.7 oz / 275g
DIMENSIONS	(2.7x3.4x2.3)in (7x8.9x5.6)cm	(2.8x3.3x2.4) in (7x8.4x6)cm	(3.7x5x2.2) in (9.4x12.7x5.6)cm	(3.3x5.6x2.5) in (8.4x14.2x6.4)cm

www.intova.net

Important: to maintain waterproof seal, be sure to clean and remove debris from O-ring and lightly apply silicone grease before use. Products and specifications subject to change without notice.

INTOVA

Born in Hawaii Built for the World



FLASHLIGHT SPECIFICATIONS

FLASHLIGHT/ MODEL#	LUMENS	LED	LED LIFETIME	BATTERY TYPE	BURN TIME (full power)	SWITCH	BEAM ANGLE	DEPTH RATING	USE AS VIDEO LIGHT	MATERIAL	COLOR TEMP	WEIGHT (with batteries)	DIMENSIONS
Teranova / TTN1	10,000	(12) CREE XML-T6	35,000 hours	Rechargeable Li-ion	2 hours	Magnetic push: Full/30%/strobe	12°	400'/ 122M	YES	Anodized Aluminum	6000 ~ 7000K	7.3 lbs / 3300g	(8.8x5.5x7.3) in (22.3x14x18)cm
Beacon / BCON	2,500	(3) CREE XML-T6	35,000 hours	Rechargeable Li-ion	2 hours	Magnetic slide ring Full /med /low	11°	400'/ 122M	-	Anodized Aluminum	6000 ~ 7000K	29.3 oz / 830g	(10.6x1.3x2.8) in (7.2x3.8x23.7)cm
Galaxy / GVL	2,500	(6) CREE XPG	35,000 hours	Rechargeable Li-ion	1 hour	Magnetic slide ring Full /med /low	140°	400'/ 122M	YES	Anodized Aluminum	5500 ~ 6000K	1.54 lbs/ 702g	(4.4x2.8x3.8) in (11.2x7x9.5)cm
IFL WA ZOOM-R	300	(1) CREE XPG	100,000 hours	(2) CR123 or optional 18650 Li-ion	3 hours or 2 hours	Magnetic Slide	9°-45°	400'/ 122M	YES	Anodized Aluminum	5000 ~ 6000K	8.4 oz/ 238g	(6.25 x 1.5) in (16.0x3.8)cm
SportTac 2000/ ST2000	220	(1) CREE XPE	100,000 hours	Rechargeable Li-ion	1.25 hours	Magnetic push: Full/30%/strobe	12°-75°	328'/ 100M	YES	Anodized Aluminum	5000 ~ 6000K	4.3 oz / 123g	(4.8 x 1.4) in (12.2x3.4)cm
Search Light / SL1	800	(1) CREE XML	100,000 hours	(3) C	7 hours	Magnetic tail: Full/30%/strobe	8°	400'/ 122M	-	Anodized Aluminum	6000 ~ 7500K	14.5 oz / 411g	(11 x 2.3) in (27.9x5.8)cm
Ultra III	500	(1) CREE XML-T6	100,000 hours	(6) AA	6 hours	Magnetic slide	14°	400'/ 122M	-	Anodized Aluminum	6000 ~ 7000K	1.25 lbs / 567g	(8.9 x 2) in (22.6x5.1)cm
IFL 660-R	300	(1) CREE XPG	100,000 hours	(2) CR123 or optional 18650 Li-ion	3 hours or 2 hours	Magnetic slide	7°	400'/ 122M	-	Anodized Aluminum	6000 ~ 7000K	8.2 oz / 233g	(6.2 x 1.5) in (15.8x3.8)cm
Compact torch/ ICOM	230	(1) CREE XPG	100,000 hours	(3) AAA	3 hours	Magnetic tail: Full/30%/strobe	12°	400'/ 122M	-	Anodized Aluminum	6500 ~ 7500K	6.5 oz / 184g	(5.5 x 1.4) in (14 x 3.6)cm
H2O Man Light/ HL1	-	(5) LED array	100,000 hours	(4) AAA	6 hours	On/Off Twist	27°	100'/ 30M	-	Plastic	-	4.0 oz / 113g	(5.1 x 1.5) in (13 x 3.8)cm

www.intova.net

Important: to maintain waterproof seal, be sure to clean and remove debris from O-ring and lightly apply silicone grease before use. Products and specifications subject to change without notice.

INTOVA

Born in Hawaii Built for the World



INTOVATEC

INTERNATIONAL INNOVATIONS, INC.

SnapSights!

H2O MAN

PIXTREME

DIGITAL SPORT CAMERAS

Hawaii may seem like an unusual place for an international corporation to be based but its deep oceans, tall mountains and 11 of the worlds 13 climatic zones make it a Sportsperson's Paradise. Honolulu is where Intova was born and the islands are the crucible in which ideas are developed and tested. We don't just make the products; we use them-created for sportspeople by sportspeople.

Intova was founded in 1995 as an offshoot of a company whose roots in the photo industry extend back to 1982. The mission has always been to deliver products that offered great value; high quality, low cost, unique feature sets. The drive to innovation has led to many industry firsts and a growing family of Intova users. Starting with low cost Snap Sights cameras, Intova grew into the digital camera arena, HD video, waterproof electronics and a robust range of waterproof flashlights.

Currently, Intova products are sold around the world by a steadily increasing number of distribution and retail partners. Primary warehouse facilities are located in California and Hong Kong with administrative HQ in Honolulu. Many exciting new models are in the pipeline and there is a constant drive to improve existing models. As the world around us changes, Intova will continue to develop new items, upgrades and services that will keep us relevant and allow continued growth. Rest assured that we listen to what you say and will stand behind our line up with an unwavering commitment to customer service.

Mahalo Nui Loa

Thanks very much for your support!!

Kulia i ka nu'u

Strive to the top

Intova is proud of the product range and appreciative of your interest. Your comments and suggestions are welcome at sales@intova.net.



INTOVA

1100 Alakea St., 18th floor
Honolulu, HI 96813

Ph: (808) 837-0074

Toll Free (USA): (877) 837-0074

Fax: (808) 837-0081

www.intova.net

Email: sales@intova.net

Email: admin@intova.net